



12 SPECIFICATIONS & EQUIPMENT

ALL-NEW MAZDA3

POWERTRAIN

		Neo	Maxx	Touring	SP25	SP25 GT	SP25 Astina
Engine type		2.0 litre in-line 4 cylinder 16 valve DOHC S-VT petrol (SKYACTIV-G) with i-stop	2.0 litre in-line 4 cylinder 16 valve DOHC S-VT petrol (SKYACTIV-G) with i-stop	2.0 litre in-line 4 cylinder 16 valve DOHC S-VT petrol (SKYACTIV-G) with i-stop	2.5 litre in-line 4 cylinder 16 valve DOHC S-VT petrol (SKYACTIV-G) with i-stop	2.5 litre in-line 4 cylinder 16 valve DOHC S-VT petrol (SKYACTIV-G) with i-stop	2.5 litre in-line 4 cylinder 16 valve DOHC S-VT petrol (SKYACTIV-G) with i-stop
Engine capacity		1,998 cc	1,998 cc	1,998 cc	2,488 cc	2,488 cc	2,488 cc
Bore and stroke		83.5 mm x 91.2 mm	83.5 mm x 91.2 mm	83.5 mm x 91.2 mm	89.0 mm x 100.0 mm	89.0 mm x 100.0 mm	89.0 mm x 100.0 mm
Compression ratio		13.0 : 1	13.0 : 1	13.0 : 1	13.0 : 1	13.0 : 1	13.0 : 1
Maximum power		114 kW @ 6,000 rpm	114 kW @ 6,000 rpm	114 kW @ 6,000 rpm	138 kW @ 5,700 rpm	138 kW @ 5,700 rpm	138 kW @ 5,700 rpm
Maximum torque		200 Nm @ 4,000 rpm	200 Nm @ 4,000 rpm	200 Nm @ 4,000 rpm	250 Nm @ 3,250 rpm	250 Nm @ 3,250 rpm	250 Nm @ 3,250 rpm
Throttle control		Electronic (drive-by-wire)	Electronic (drive-by-wire)	Electronic (drive-by-wire)	Electronic (drive-by-wire)	Electronic (drive-by-wire)	Electronic (drive-by-wire)
Fuel system		Electronic direct injection	Electronic direct injection	Electronic direct injection	Electronic direct injection	Electronic direct injection	Electronic direct injection
Fuel tank capacity		51 litres	51 litres	51 litres	51 litres	51 litres	51 litres
Recommended fuel		Unleaded or E10 (91RON or higher)	Unleaded or E10 (91RON or higher)	Unleaded or E10 (91RON or higher)	Unleaded or E10 (91RON or higher)	Unleaded or E10 (91RON or higher)	Unleaded or E10 (91RON or higher)
Fuel Consumption*1	man (combined) sedan	5.8 litres per 100 km	5.8 litres per 100 km	5.8 litres per 100 km	6.5 litres per 100 km	6.5 litres per 100 km	6.5 litres per 100 km
	man (combined) hatch	5.9 litres per 100 km	5.9 litres per 100 km	5.9 litres per 100 km			
	auto (combined) sedan	5.7 litres per 100 km	5.7 litres per 100 km	5.7 litres per 100 km	6.0 litres per 100 km	6.0 litres per 100 km	6.0 litres per 100 km
	auto (combined) hatch	5.8 litres per 100 km	5.8 litres per 100 km	5.8 litres per 100 km	6.1 litres per 100 km	6.1 litres per 100 km	6.1 litres per 100 km
Automatic (SKYACTIV-Drive) transmission		6-speed	6-speed	6-speed	6-speed	6-speed	6-speed
Gear ratio	1st - man/auto	3.363 / 3.522	3.363 / 3.522	3.363 / 3.522	3.700 / 3.522	3.700 / 3.522	3.700 / 3.522
	2nd	1.947 / 2.022	1.947 / 2.022	1.947 / 2.022	1.947 / 2.022	1.947 / 2.022	1.947 / 2.022
	3rd	1.300 / 1.452	1.300 / 1.452	1.300 / 1.452	1.300 / 1.452	1.300 / 1.452	1.300 / 1.452
	4th	1.029 / 1.000	1.029 / 1.000	1.029 / 1.000	1.029 / 1.000	1.029 / 1.000	1.029 / 1.000
	5th	0.837 / 0.708	0.837 / 0.708	0.837 / 0.708	0.837 / 0.708	0.837 / 0.708	0.837 / 0.708
	6th	0.680 / 0.599	0.680 / 0.599	0.680 / 0.599	0.680 / 0.599	0.680 / 0.599	0.680 / 0.599
	reverse	3.385 / 3.893	3.385 / 3.893	3.385 / 3.893	3.385 / 3.893	3.385 / 3.893	3.385 / 3.893
	final drive	4.105 / 3.812	4.105 / 3.812	4.105 / 3.812	4.105 / 3.812	4.105 / 3.812	4.105 / 3.812

CHASSIS		Neo	Maxx	Touring	SP25	SP25 GT	SP25 Astina
Brake diameter	front	295 mm	295 mm	295 mm	295 mm	295 mm	295 mm
	rear	265 mm	265 mm	265 mm	265 mm	265 mm	265 mm
Brake type	front	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc
	rear	Solid disc	Solid disc	Solid disc	Solid disc	Solid disc	Solid disc
Steering type		Electronic power assist steering	Electronic power assist steering	Electronic power assist steering	Electronic power assist steering	Electronic power assist steering	Electronic power assist steering
Suspension	front	MacPherson strut	MacPherson strut	MacPherson strut	MacPherson strut	MacPherson strut	MacPherson strut
	rear	Multi-link	Multi-link	Multi-link	Multi-link	Multi-link	Multi-link
Turning circle	kerb to kerb	10.6 m	10.6 m	10.6 m	10.6 m	10.6 m	10.6 m
Tyre size		205/60 R16	205/60 R16	205/60 R16	215/45 R18	215/45 R18	215/45 R18
Tyre index		92V	92V	92V	89W	89W	89W
Wheel size		16 x 6.5 J	16 x 6.5 J	16 x 6.5 J	18 x 7.0 J	18 x 7.0 J	18 x 7.0 J
Wheel type		Steel	Alloy	Alloy	Alloy	Alloy	Alloy
Tyre size (spare)		T125/70 D16	T125/70 D16	T125/70 D16	T125/70 D16	T125/70 D16	T125/70 D16
Wheel type (spare)		Temporary (Steel)	Temporary (Steel)	Temporary (Steel)	Temporary (Steel)	Temporary (Steel)	Temporary (Steel)

DIMENSIONS

Ground clearance	laden	155 mm	155 mm	155 mm	155 mm	155 mm	155 mm
Overall length	sedan	4,580 mm	4,580 mm	4,580 mm	4,580 mm	4,580 mm	4,580 mm
	hatch	4,460 mm	4,460 mm	4,460 mm	4,460 mm	4,460 mm	4,460 mm
Overall width		1,795 mm	1,795 mm	1,795 mm	1,795 mm	1,795 mm	1,795 mm
Overall height	sedan	1,455 mm	1,455 mm	1,455 mm	1,455 mm	1,455 mm	1,455 mm
	hatch	1,455 mm	1,455 mm	1,455 mm	1,455 mm	1,470 mm	1,470 mm
Track	front	1,555 mm	1,555 mm	1,555 mm	1,555 mm	1,555 mm	1,555 mm
	rear	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm
Wheelbase		2,700 mm	2,700 mm	2,700 mm	2,700 mm	2,700 mm	2,700 mm

WEIGHTS AND CAPACITIES

Cargo room volume (VDA)	sedan	408 litres	408 litres	408 litres	408 litres	408 litres	408 litres
	hatch	308 litres	308 litres	308 litres	308 litres	308 litres	308 litres
Kerb weight man	sedan	1,267 kg	1,262 kg	1,266 kg	1,302 kg	1,320 kg	1,336 kg
	hatch	1,271 kg	1,266 kg	1,271 kg	1,308 kg	1,325 kg	1,342 kg
Kerb weight auto	sedan	1,301 kg	1,296 kg	1,300 kg	1,334 kg	1,351 kg	1,368 kg
	hatch	1,305 kg	1,300 kg	1,304 kg	1,339 kg	1,357 kg	1,373 kg
Towing capacity*5	braked	1,200 kg	1,200 kg	1,200 kg	1,200 kg	1,200 kg	1,200 kg
	unbraked	600 kg	600 kg	600 kg	600 kg	600 kg	600 kg
Tow-ball download	maximum	75 kg	75 kg	75 kg	75 kg	75 kg	75 kg

FEATURES

Exterior

	Neo	Maxx	Touring	SP25	SP25 GT	SP25 Astina
Daytime running lamps	-	-	-	-	X	X
Door handles (body coloured)	X	X	X	X	X	X
Exhaust extension (chrome)	Hatch only	Hatch only	Hatch only	Hatch only	Hatch only	Hatch only
Fog-lamps (front)	-	-	-	X	X	X
Front and rear bumpers (body coloured)	X	X	X	X	X	X
Green-tinted windscreen, side and rear windows	X	X	X	X	X	X
Headlamps (Bi-Xenon) with Adaptive Front-lighting System (AFS)	-	-	-	-	X	X
Headlamps (Halogen)	X	X	X	X	-	-
Headlamps auto on/off function	-	-	X	X	X	X
Power mirrors (body coloured)	X	X	X	X	X	X
Power mirrors (heated)	-	-	-	-	X	X
Power sliding and tilt glass sun-roof	-	-	-	-	Option	X
Power windows	X	X	X	X	X	X
Rear spoiler	Hatch only	Hatch only	Hatch only	X	X	X
Tail-lamps (LED)	-	-	-	-	X	X
Window demister (rear)	X	X	X	X	X	X
Wipers (front) 2-speed with rain-sensing function	-	-	X	X	X	X
Wipers (front) 2-speed with variable intermittent function	X	X	-	-	-	-
Wiper (rear) with intermittent function	Hatch only	Hatch only	Hatch only	Hatch only	Hatch only	Hatch only

INTERIOR

	Neo	Maxx	Touring	SP25	SP25 GT	SP25 Astina
Active Driving Display (ADD)	-	-	-	-	X	X
Air-conditioning	X	X	-	-	-	-
Air-conditioning (dual-zone climate control)	-	-	X	X	X	X
Ambient temperature display	X	X	X	X	X	X
Centre armrest console with tray	X	X	X	X	X	X
Critical function warning lights/chimes	X	X	X	X	X	X
Cruise control	X	X	X	X	X	-
Cupholders	X	X	X	X	X	X

	Neo	Maxx	Touring	SP25	SP25 GT	SP25 Astina
Door bottle holders (front and rear)	X	X	X	X	X	X
Glove box	X	X	X	X	X	X
Instrument panel light dimmer	X	X	X	X	X	X
Interior illumination:	cargo room lamp	X	X	X	X	X
	entry system with delayed fade	X	X	X	X	X
	map reading spot lamps	X	X	X	X	X
Interior release for:	fuel filler door	X	X	X	X	X
Leather-wrapped:	gear shift knob	-	X	X	X	X
	handbrake handle	-	X	X	X	X
	steering wheel	-	X	X	X	X
One touch (up and down) power windows (driver)	X	X	X	X	X	X
Overhead sunglasses storage box	-	-	X	-	X	X
Paddle shift gear control (auto only)	-	X	X	X	X	X
Radar cruise control	-	-	-	-	-	X
Rear-view mirror with auto dimming function	Option	Option	Option	Option	X	X
Tachometer and electronic odometer/tripmeter	X	X	X	X	X	X
Tilt and telescopic adjustable steering wheel	X	X	X	X	X	X
Trip Computer *4	X	X	X	X	X	X
Vanity mirrors (front)	X	X	-	X	-	-
Vanity mirrors (front) with illumination	-	-	X	-	X	X

INFOTAINMENT

	Neo	Maxx	Touring	SP25	SP25 GT	SP25 Astina
7-inch full colour touch screen display	-	X	X	X	X	X
AM/FM tuner	X	X	X	X	X	X
Auxiliary-audio input jack (3.5mm mini-stereo)	X	X	X	X	X	X
Bluetooth® hands-free phone and audio capability*2	X	X	X	X	X	X
CD player, single disc (MP3 compatible)	X	X	X	X	X	X
Internet radio integration (Pandora®, Stitcher™ and Aha™)	-	X	X	X	X	X
Multi-function Commander control	-	X	X	X	X	X
Premium Bose® 231 watt amplifier and speakers	-	-	-	-	X	X

INFOTAINMENT cont.

Radio Data System (RDS) program information		-	X	X	X	X	X
Satellite navigation		-	X	X	X	X	X
Speakers (4)		X	-	-	-	-	-
Speakers (6)		-	X	X	X	-	-
Speakers (9)		-	-	-	-	X	X
Steering wheel mounted audio controls		X	X	X	X	X	X
USB-audio input port (iPod® compatible)		X	X	X	X	X	X

SAFETY AND SECURITY

		Neo	Maxx	Touring	SP25	SP25 GT	SP25 Astina
Advanced keyless entry		-	-	-	X	X	X
Advanced keyless push-button engine start		X	X	X	X	X	X
Airbags SRS:	front (driver and passenger)	X	X	X	X	X	X
	side (front)	X	X	X	X	X	X
	curtain (front and rear)	X	X	X	X	X	X
Anti-lock Braking System (ABS)		X	X	X	X	X	X
Blind Spot Monitoring (BSM)		Option	Option	Option	Option	Option	X
Child restraint anchor points		X	X	X	X	X	X
Childproof rear door locks		X	X	X	X	X	X
Dynamic Stability Control (DSC)		X	X	X	X	X	X
Electronic Brake-force Distribution (EBD)		X	X	X	X	X	X
Emergency Brake Assist (EBA)		X	X	X	X	X	X
Emergency Stop Signal (ESS)		X	X	X	X	X	X
Engine immobiliser		X	X	X	X	X	X
Forward Obstruction Warning (FOW)		Option	Option	Option	Option	Option	X
High Beam Control (HBC)		-	-	-	-	-	X
High mount stop lamp		X	X	X	X	X	X
Hill Launch Assist (HLA)		X	X	X	X	X	X
Lane Departure Warning (LDW)		-	-	-	-	-	X
Left-hand-side convex (wide angle) exterior mirror		X	X	X	X	X	X
Rear Cross Traffic Alert (RCTA)		Option	Option	Option	Option	Option	X
Remote central locking (2 transmitters)		X	X	X	X	X	X
Reverse camera		-	X	X	X	X	X
Seat-belt warning (front and rear)		X	X	X	X	X	X

Seat-belts 3-point lap-sash (all seats)		X	X	X	X	X	X
Seat-belts (front) with pretensioners, load-limiters and height adjustable shoulder anchorages		X	X	X	X	X	X
Side impact door beams		X	X	X	X	X	X
Smart Brake Support (SBS)		-	-	-	-	-	X
Smart City Brake Support (SCBS)		Option	Option	Option	Option	Option	X
Traction Control System (TCS)		X	X	X	X	X	X
Triple H¹ safety construction with front and rear crumple zones		X	X	X	X	X	X
Whiplash-minimising front seats		X	X	X	X	X	X

SEATS

		Neo	Maxx	Touring	SP25	SP25 GT	SP25 Astina
Seat trim:	cloth	X	X	-	X	-	-
	leather*3	-	-	X	-	X	X
Front seats with:	6-way power adjustment (driver)	-	-	-	-	X	X
	adjustable head restraints	X	X	X	X	X	X
	heating function	-	-	-	-	X	X
	height adjustment (driver)	X	X	X	X	X	X
	lumbar adjustment (driver)	-	-	X	-	X	X
	rake and slide adjustment	X	X	X	X	X	X
	seat back pocket (passenger)	X	X	X	X	X	X
Rear seats with:	60/40 split fold backrest	X	X	X	X	X	X
	adjustable head restraints	X	X	X	X	X	X
	centre fold down armrest	-	X	X	X	X	X

*1 Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven.

*2 Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices will operate correctly. Visit mazdahandsfree.com.au or consult your Mazda Dealer for further information.

*3 Leather interior includes some Maztex material on selected high impact surfaces. Off-white leather interior only available with selected exterior colours.

*4 Trip computer displays current and average fuel consumption, distance to empty and average vehicle speed.

*5 Subject to State or Territory regulations.